

## High Temperature Polyester Tape

### NKS Series



#### *Product Description:*

\* The tape consisting of a polyester film backing, single side coated with silicone adhesive.

#### *Features:*


- \* High temperature resistance
- \* Strong adhesion
- \* Flexible and conformable
- \* Peeled off without leaving an adhesive residue

#### *Application:*

- \* Power coating masking
- \* High temperature painting
- \* Galvanization

#### *Construction:*

Polyester Film  
Silicone Adhesive



**High Temperature Polyester Tape**

**NKS Series**



**Properties:**

Item	NKS-3565SIG	NKS-5080SIG	NKS-2560SIG	NKS-2590SIG
Color	Clear/Green/Blue	Clear/Green/Blue	Clear/Green/Blue	Red/Yellow
Carrier	Polyester	Polyester	Polyester	Polyester
Adhesive	Silicone	Silicone	Silicone	Silicone
Carrier Thickness (mm)	0.035	0.05	0.025	0.025
Adhesive Thickness (mm)	0.025	0.03	0.035	0.065
Total Thickness (mm)	0.06	0.08	0.060	0.09
Adhesion (N/25mm)	6	6	6	8
Tensile Strength (N/25mm)	135	220	115	135
Elongation at Break (%)	40	50	35	35
Corrosion Resistance	1	1	1	1
Storage Condition	20°C,65RH	20°C,65RH	20°C,65RH	20°C,65RH
Long Term Heat Resistance (°C)	180	180	180	180
Short Term Heat Resistance (°C)	220	220	220	220
RoHS	Complied			
Width	2~980mm			
Length	33m/66m			

These values are measured values and not guaranteed value

***Storage Conditions:***

Store in a clean dry shady place. Temperature of 23 degrees Celsius and 65 percent relative humidity are recommended.

***Notice:***

All physical properties, statements, and recommendations are based either on tests we believe to be reliable or our experience, but they are not guaranteed. Naikos recommends each user determine the suitability of the product for the intended purpose.

***Warranty and Limited Remedy:***

THE FOLLOWING WARRANTY IS MADE IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, AND ANY IMPLIED WARRANTY ARISING OUT OF A COURSE OF DEALING, CUSTOM OR USAGE OF TRADE.

Naikos warrants its tape will be free from defects in material and manufacturer. If a tape is proved to be defective, then the exclusive remedy, and Naikos' and seller's sole obligation shall be, at Naikos' option, to replace the quantity of the tape which is proved to be defective or to refund the purchase price.

***Limitations of Liability:***

Except where prohibited by law, Naikos will not be liable for any loss or damage arising from the Naikos' product, whether direct, indirect, special, incidental or consequential regardless of the legal theory asserted, including warranty, contract, negligence or strict liability.

The forgoing Warranty and Limited Remedy and Limitation of Liability may be changed only by a written agreement signed by authorized officers of Naikos and seller.

**XIAMEN NAIKOS INDUSTRIAL CO.,LTD**

Tel: +86-592-7152818

Fax: +86-592-7152858

Email: [info@xmnks.com](mailto:info@xmnks.com)

Web: <http://china-adhesive-tapes.com/>

Add: No.48, Huli Industrial Park, Meixi Street, Tong'an District, Xiamen City, Fujian, China