

**Polyester Film Double Coated Tape****NKS-200DPT*****Product Description:***

\* The tape consisting of a polyester film backing, double side coated with acrylic pressure sensitive adhesive

***Product Features::***


- \* Ultra transparency
- \* Anti scrub
- \* No adhesive residue
- \* Good initial tack
- \* Great adhesion to a variety of material

***Application:***

- \* Nameplate lamination
- \* LCD reflective film, plastic film splicing
- \* PP, PE material bonding
- \* ABS plastic parts in automotive industry
- \* EPDM rubber bonding

***Construction:***

Red Release Liner  
Acrylic Adhesive  
Polyester Film  
Acrylic Adhesive





**Properties:**

Description		Property		
Adhesive	Acrylic	Adhesion to Steel	18N/25mm	
Carrier	PET	Static Shear Strength	1000g,6.4cm <sup>2</sup> ,2,880min+	
Thickness	Tape			205um
	Liner			75um
	Total	280um		
Liner	Red Film	Solvent Resistant		
Tape color	Clear	Heat Resistant		
Storage	21°C (70F) ,50%RH.			

These values are measured values and not guaranteed value

**Storage Conditions:**

Store in a clean dry shady place. Temperature of 20 degrees Celcius and 65 percent relative humidity are recommended.

**Notice:**

All physical properties, statements, and recommendations are based either on tests we believe to be reliable or our experience, but they are not guaranteed. Naikos recommends each user determine the suitability of the product for the intended purpose.



厦门奈克斯新材料有限公司

Xiamen Naikos New Materials Co., Ltd.

*Warranty and Limited Remedy:*

THE FOLLOWING WARRANTY IS MADE IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, AND ANY IMPLIED WARRANTY ARISING OUT OF A COURSE OF DEALING, CUSTOM OR USAGE OF TRADE.

Naikos warrants its tape will be free from defects in material and manufacturer. If a tape is proved to be defective, then the exclusive remedy, and Naikos' and seller's sole obligation shall be, at Naikos' option, to replace the quantity of the tape which is proved to be defective or to refund the purchase price.

*Limitations of Liability:*

Except where prohibited by law, Naikos will not be liable for any loss or damage arising from the Naikos' product, whether direct, indirect, special, incidental or consequential regardless of the legal theory asserted, including warranty, contract, negligence or strict liability.

The forgoing Warranty and Limited Remedy and Limitation of Liability may be changed only by a written agreement signed by authorized officers of Naikos and seller.

**Xiamen Naikos New Materials CO., LTD.**

Tel: +86-592-7368007

Fax: +86-592-7368007

Email: [ocs8@xmnks.com](mailto:ocs8@xmnks.com)

Web: [www.xmnks.com](http://www.xmnks.com) / [www.nkstape.com](http://www.nkstape.com)

Add: No.48, Huli Industrial Park, Meixi Street, Tong'an District, Xiamen City, Fujian, China